

IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS

1-13. (Canceled)

14. (Currently Amended) A method for screening compounds for biological activity, and/or toxicity comprising adding a compound to an apparatus which comprises:

a nanoporous silicon support comprising a plurality of nanopores comprising,

a plurality of ~~macropores~~ macrowells disposed on the nanoporous silicon support ~~which support the viability of cells, and~~

at least one ~~individual~~ cell within one of said plurality of ~~macropores~~ macrowells, and

wherein the ~~cells are provided~~ at least one cell is in contact with the nanoporous silicon support and is provided with nutrients and oxygen sufficient to maintain the viability of the ~~cells and the cells are~~ at least one cell and the nanopores do not allow the at least one cell to pass through the nanoporous silicon support, and the at least one cell is monitored for changes in response to addition of the compound.

15. (Currently Amended) The method of claim 14, wherein the ~~macropores~~ plurality of macrowells have a diameter between 0.2 and 200 microns.

16. (Currently Amended) The method of claim 14, wherein the ~~macropores~~ plurality of macrowells have a diameter between 0.2 and 150 microns.

17. (Currently Amended) The method of claim 14, wherein the ~~macropores~~ plurality of macrowells have a diameter between 15 and 25 microns.
18. (Original) The method of claim 14, wherein the cells are eukaryotic cells.
19. (Original) The method of claim 14, wherein the cells are hepatic cells.
20. (Original) The method of claim 14, wherein the cells are prokaryotic cells.
21. (Currently Amended) The method of claim 14, wherein the ~~macropores~~ plurality of macrowells are coated with a coating substance selected from the group consisting of biomolecules, peptides and proteins that promote cell adhesion on biocompatible polymers.
22. (Original) The method of claim 21, wherein the coating substance is selected from the group consisting of collagen, fibronectin, vitronectin, RGD and YIGSR peptides, GAGs, HA, integrins, selectins and cadherins.
23. (Currently Amended) The method of claim 14, wherein the ~~matrix~~ is plurality of macrowells are prepared using a method selected from the group consisting of micromolding, electrodeposition machining, laser ablation, laser drilling, micromachining, wet etching, reactive ion etching, LIGA and embossing.
24. (Currently Amended) The method of claim 14, wherein the at least one cell is ~~cells are~~ perfused with culture medium or buffered saline solution.
25. (Original) The apparatus of claim 14, wherein the direction of perfusion is in any orientation relative to the support.

26. (Original) A method of claim 14, wherein multiple compounds are screened simultaneously for interactions.

27. (Currently Amended) A method for screening a compound for at least one activity under physiological conditions in a microarray comprising

exposing at least one cell cells in an apparatus which comprises a nanoporous silicon support ~~comprising~~ and a plurality of ~~macropores~~ macrowells disposed thereon ~~which support the viability of cells, the~~ at least one individual cell within one of said plurality of ~~macropores~~ macrowells, and

wherein the nanoporous silicon support allows the at least one cell cells to obtain nutrients and oxygen sufficient to maintain the viability of the at least one cell cells exposed to a compound to be tested and screened for at least one effect of the compound on the at least one cell cells.

28. (Withdrawn) A method for analysis of metabolism of a compound comprising

exposing cells in an apparatus which comprises a nanoporous silicon support comprising a plurality of macropores which support the viability of cells,

at least one individual cell within one of said plurality of macropores,

wherein the support allows the cells to obtain nutrients and oxygen sufficient to maintain the viability of the cells exposed to a compound that may be metabolized by the cells,

wherein the nutrients are provided by the culture medium, and

wherein the metabolized compound is recovered from the culture medium for analysis.

29. (Withdrawn) A method for protein production comprising

exposing cells in an apparatus which comprises a nanoporous silicon support comprising a plurality of macropores which support the viability of cells,

at least one individual cell within one of said plurality of macropores,

wherein the support allows the cells to obtain nutrients and oxygen sufficient to maintain the viability of the cells expressing protein,

wherein the nutrients are provided by the culture medium, and

wherein the expressed protein is recovered from the culture medium.

30. (Withdrawn) A method to provide hepatic support comprising exposing cells in an apparatus which comprises a nanoporous silicon support comprising a plurality of macropores which support the viability of cells,

a plurality of hepatocytes within said plurality of macropores,

wherein nutrients are provided by the blood or serum, and

wherein the support allows passage of blood or serum to allow bidirectional mass transfer of large molecular weight proteins sufficient to allow the fluid to be processed by the hepatocytes.